

List of Figures

- 1.1 The particle at P moves with velocity \mathbf{v} with respect to Σ and velocity \mathbf{v}' with respect to Σ' . 19
- 1.2 The family of curves $\bar{f}(t) = \frac{1}{2}gt_2^2(\frac{t}{t_2})^\beta$ for $\beta = \frac{1}{2}, 1, 2, 3, 4$. 25
- 1.3 The function S (multiplied by the constant $8/mg^2t_2^3$) is shown as a function of the parameter β . 25
- 1.4 A particle of mass m constrained to move in a vertical circular path in the gravitational field of the earth. 34
- 1.5 The particle of mass m constrained to a vertical circular path and acted on by gravity. 39
- 1.6 Bead on a rotating hoop. 44
- 1.7 Illustration of two possible paths of the representative point for a system with three degrees of freedom. 48
- 1.8 Application of Fermat's principle to the motion of a particle. 50

- 2.1 The potential V of a harmonic oscillator. 63
- 2.2 The potential V with a barrier. 63
- 2.3 The contour of integration C . 64
- 2.4 A particle moving in a trajectory measured from the fixed point O . 66
- 2.5 A possible central orbit. 68
- 2.6 The potential U showing positive and negative energies. 70
- 2.7 A potential $U \sim 1/r^2$ that allows for a positive energy only. 71
- 2.8 The particle of mass m moving in a vertical circular path, and acted on by gravity. 71
- 2.9 Attractive and repulsive motion. 74
- 2.10 Bound state in the effective potential. 75
- 2.11 The geometry of a scattering problem. 76
- 2.12 Geometry of a scattering center. 77
- 2.13 Geometry for scattering by a square well. 79
- 2.14 Relative and center-of-mass coordinates for the two-body problem. 80
- 2.15 Vectors in the center-of-mass system. 82
- 2.16 Vectors in the center-of-mass system: B moves to C . 83
- 2.17 Cylindrical coordinate system with external magnetic field \mathbf{B} indicated. 91

- 2.18 The angular momentum vector \mathbf{L} precesses about the direction of the field \mathbf{B} . 92
- 2.19 Coordinate vectors. 93
- 2.20 Coordinate axes x', y', z' for describing motion relative to the earth's surface. 95
- 2.21 Foucault's pendulum. 96
- 2.22 Projected path of the bob of Foucault's pendulum. 97
- 3.1 Coordinates of body-fixed system relative to the space-fixed system. 104
- 3.2 The origins of the body-fixed and space-fixed systems coincide, $O = O'$. 109
- 3.3 The body-fixed and space-fixed origins coincide ($O = O'$). In addition, the z axes are common $z = z'$. The x and y axes are rotated by ϕ to x' and y' . 110
- 3.4 Upper panel: Active point of view. $A(\phi)$ rotates \mathbf{Q} closer to the x axis, Lower panel: Passive point of view. $A(\phi)$ rotates the x axis closer to the vector \mathbf{Q} . 114
- 3.5 Euler angles. 115
- 3.6 Rotation of the top with space-fixed axes. 122
- 3.7 Cuspidal motion of top. 126
- 3.8 Directional change of angular momentum. 129
- 3.9 Rotating top ((a) and (b)) and rotating egg ((c) and (d)). 132
- 3.10 The tippe top. 133
- 3.11 Sketch of two cylinders touching at a tangent point. 142
- 4.1 Coupled pendulums. 145
- 4.2 A linear XY_2 molecule. 157
- 4.3 Normal modes of a linear XY_2 molecule. 160
- 4.4 The molecule X_3 . 162
- 4.5 Normal modes of an X_3 molecule. 164
- 4.6 A rotation about \mathbf{e}_3 through an angle α . 171
- 4.7 Reflections. P is taken into P' by σ_h , into P'' by σ_v . 172
- 4.8 Symmetry operations for the X_3 molecule. 173
- 4.9 A rotation of the point P through an angle α in the $x - y$ plane. 175
- 4.10 Reflection of the point P through a plane passing through \mathbf{e}_3 . 176
- 4.11 Action of C_3 on X_3 in a displaced configuration. 177
- 4.12 Structure of the \mathbf{W} matrix for NH_3 . 186
- 4.13 Linear chain of vibrating particles. 190
- 4.14 Geometry connecting two neighbouring particles. 191
- 4.15 Transverse normal modes of three particles in a linear chain. 192
- 5.1 Coordinate system for discussing water waves on an open sea. 212
- 5.2 Deviations from the surface are designated by η . 213
- 5.3 Phase velocity - wavelength relations for water waves. 215
- 5.4 Initial disturbance of pond. 216

- 5.5 Contour C for the integral. 219
- 6.1 The inertial frames Σ and Σ' . 224
- 6.2 The energy-momentum relation for a relativistic free particle. 238
- 6.3 Experimental confirmation of the relativistic relation between the speed and the kinetic energy of relativistic electrons. The open circles denote the experimental points. 239
- 7.1 Area-preserving ellipses in the phase space of a free particle, shown at three equal intervals of time. System points inside the circular boundary at $t = 0$ remain inside the corresponding elliptic boundary as time increases. 278