

Index

- ε -pseudo-spectrum, 41, 54, 185
- A-orthogonal, 124, 131
- A-scalar product, 124
- adjoint transpose, 23
- adjuncts, 23
- algorithm
 - classical Gram-Schmidt, 21
 - Crout, 63
 - exchange, 67
 - Gauß-Jordan, 66, 67
 - Gaussian elimination, 97
 - Givens, 92
 - Gram-Schmidt, 52, 77, 184
 - Householder, 78, 91
 - modified Gram-Schmidt, 22, 168
 - Thomas, 72
- angle, 25
- ansatz space, 137
- approximation property, 197
- arithmetic complexity, 56
- arithmetic operation, 56
- Arnoldi (1917–1995), 165
- Arnoldi basis, 168
- Arnoldi relation, 169
- backward substitution, 55, 59
- Banach space, 15
- band matrix, 7
- band type, 70
- band width, 71
- basis
 - orthogonal, 20
 - orthonormal, 20
- best approximation, 20
- bilinear form, 17
- Burgers equation, 178
- Cartesian basis, 1
- Cauchy sequence, 14
- central difference quotient, 141
- characteristic polynomial, 28, 95
- Chebyshev (1821–1894), 5
- Chebyshev equalization, 5
- Chebyshev polynomial, 119, 135
- Cholesky (1975–1918), 75
- Cholesky decomposition, 62, 75, 106
- coarse-grid correction, 195
- column pivoting, 57
- complex arithmetic, 185
- condition number, 46
- conditioning, 45
- contraction constant, 104
- coordinate relaxation, 127
- correction equation, 64
- Crout (1907–1984), 63
- defect, 5, 26, 29, 64, 76
- defect correction, 64, 65, 99
- defect equation, 191
- definiteness, 13
- Descartes (1596–1650), 1
- descent direction, 126
- descent method, 147
- determinant, 23
- deviation
 - maximal, 5
 - mean, 4
- difference approximation, 6
- difference equation, 6
- discretization, 6
- dyadic product, 79
- dynamic shift, 183
- eigenspace, 3, 28
- eigenvalue, 3, 28
 - deficient, 29
- eigenvalue equation, 28
- eigenvalue problem
 - full, 29
 - partial, 29
- eigenvector, 3, 28
 - generalized, 30
- energy form, 189
- equalization parabola, 5
- exponential stability, 38
- fill-in, 8
- finite difference discretization, 206
- fixed-point iteration, 99, 145
- fixed-point problem, 99
- forward substitution, 55, 59

- Frobenius (1849–1917), 33
- Galerkin (1871–1945), 131
- Galerkin equation, 131
- Galerkin orthogonality, 104
- Gauß (1777–1855), 56
- Gaussian elimination, 55, 56, 91
- Gaussian equalization, 4
- Gershgorin circle, 50, 53
- Gershgorin (1901–1933), 49
- Givens (1910–1993), 92
- Givens transformation, 91
- Gram (1850–1916), 21
- grid transfer, 195
- Hölder (1859–1937), 17
- half-band width, 7
- Hessenberg (1904–1959), 49, 88
- Hessenberg normal form, 91
- Hestenes (1906–1991), 131
- homogeneity, 13
- Householder (1904–1993), 79
- Householder transformation, 79, 91
- identity
- parallelogram, 20
 - Parseval, 20
- identity matrix, 23
- inequality
- Cauchy-Schwarz, 17
 - Hölder, 18
 - Minkowski, 14, 18
 - Young, 18
- inverse iteration, 155, 185
- iteration matrix, 99
- Jacobi (1804–1851), 105
- Jordan (1838–1922), 30
- Jordan normal form, 30, 89
- Kantorovich (1912–1986), 128
- kernel, 23
- Kreiss (1930–2015), 40
- Kronecker symbol, 1, 23
- Krylov (1879–1955), 132
- Krylov matrix, 167
- Krylov space, 132, 184
- Lagrange basis, 206
- Lanczos (1893–1974), 165
- Lanczos algorithm, 185
- Lanczos relation, 171
- Laplace (1749–1827), 6
- line search, 126
- linear mapping, 22
- linear system, 2
- overdetermined, 2
 - quadratic, 2
 - underdetermined, 2
- load vector, 190
- LR decomposition, 55, 59, 62, 72, 97
- M-matrix, 149
- machine accuracy, 62
- mass matrix, 190
- matrix, 22
- irreducible, 145
 - band, 70, 141
 - consistently ordered, 114, 141
 - diagonalizable, 32, 90, 156
 - diagonally dominant, 72
 - Frobenius, 56
 - Hermitian, 24
 - Hessenberg, 49, 88
 - ill-conditioned, 48
 - inverse, 23
 - irreducible, 109, 141
 - Jacobi, 142
 - lower triangular, 71
 - normal, 24, 54
 - of nonnegative type, 149
 - orthogonal, 25
 - orthonormal, 25, 77
 - permutation, 56
 - positive definite, 24, 73, 124
 - positive semi-definite, 24
 - rank-deficient, 85
 - reducible, 109
 - regular, 23
 - similar, 31, 88
 - sparse, 72
 - strictly diagonally dominant, 73
 - symmetric, 24, 124

- triangular, 55
tridiagonal, 49, 71, 88
unitarily diagonalizable, 32
unitary, 25
upper triangular, 71
- matrix norm
compatible, 33
natural, 33
- mesh-point numbering
checkerboard, 8
diagonal, 8
row-wise, 8
- method
gradient, 149
Jacobi, 145
ADI, 107
Arnoldi, 165, 167
bisection, 96
CG, 131, 143, 149, 207
Chebyshev acceleration, 146
Cholesky, 75
coordinate relaxation, 147
damped Richardson, 147
descent, 126
direct, 3
finite element, 104
finite element Galerkin, 206
Gauß-Seidel, 9, 105, 108, 113, 142, 145
gradient, 127, 143
Hyman, 92
ILU, 106
iterative, 3
Jacobi, 9, 105, 108
Jacobi-Davidson, 158
Krylov space, 137
Lanczos, 165
Least-Error Squares, 26
LR, 159
multigrid, 187
optimal SOR, 148
PCG, 139
power, 153
projection, 132
QR, 159
reduction, 89
- Richardson, 99, 187
SOR, 106, 111, 142
SSOR, 124
two-grid, 193
- minimal solution, 27, 86
Minkowski (1864–1909), 18
Mises, von (1883–1953), 153
multigrid cycle, 191
multiplicity
algebraic, 29
geometric, 28
- Navier-Stokes equation, 10
neighborhood, 14
nested multigrid, 194
Neumann (1832–1925), 36
Neumann series, 36
nodal basis, 189, 206
- norm
 l_1 , 14
 l_∞ , 14
 l_p , 14
Euclidian, 13
Frobenius, 33, 87
maximal row-sum, 34
maximum, 14
spectral, 33
submultiplicative, 33
- normal equation, 27, 76, 148
normal form, 31
normed space, 13
null space, 23
null vector, 1
numerical rank, 84
- operator
5-point, 6
7-point, 7
coarse-grid, 195
divergence, 4
gradient, 4
Laplace, 4, 6, 140, 157, 204
nabla, 4
two-grid, 196
- orthogonal
complement, 19

- projection, 19
- system, 20
- Ostrowski (1893–1986), 112
- overrelaxation, 111
- Parseval (1755–1836), 20
- Penrose (1931–), 87
- perturbation equation, 38
- pivot element, 57, 67
- pivot search, 57
- pivoting, 61
- point, 1
 - accumulation, 16
 - isolated, 16
- Poisson problem, 206
- post-smoothing, 191
- power method, 183, 208
- pre-smoothing, 190, 192
- precondition
 - diagonal scaling, 208
 - preconditioner, 99
 - preconditioning, 136, 138
 - diagonal, 139
 - ICCG, 140
 - SSOR, 139, 149
 - product space, 16
 - prolongation, 191
 - pseudo-spectrum, 41
 - pseudoinverse, 87
- QR decomposition, 77
- QR method, 183
- range, 23
- Rayleigh (1842–1919), 29
- Rayleigh quotient, 29, 154
- reflection, 79, 91
- Reich (1927–2009), 112
- relaxation parameter, 106
- relaxation step, 111
- residual, 64, 104
- resolvent, 28
- restriction, 191
- Richardson (1881–1953), 99
- Ritz (1878–1909), 166
- Ritz eigenvalue, 166
- rotation, 25, 91
- row sum criterion, 108, 110
- Rutishauser (1918–1970), 159
- saddle point system, 147, 148
- scalar product, 16, 53
 - Euclidian, 16
 - semi, 17
- Schmidt (1876–1959), 21
- Schur (1875–1941), 89
- Schur complement, 147
- Schur normal form, 89
- Seidel, von (1821–1896), 9
- sequence
 - bounded, 14
 - convergent, 14
- sesquilinear form, 17, 53
- set
 - closed, 14
 - compact, 16
 - open, 14
 - resolvent, 28
 - sequentially compact, 16
- similarity transformation, 31
- singular value, 83
- singular value decomposition, 82
- smoother, 194
- smoothing operation, 194
- smoothing property, 196
- Sobolev (1908–1989), 189
- Sobolev space, 189
- solution operator, 39
- spectral condition number, 47, 53
- spectral radius, 53, 100, 102
- spectrum, 28, 52
- step length, 126
- Stiefel (1909–1978), 131
- stiffness matrix, 190
- stopping criterion, 103
- Sturm (1803–1855), 95
- Sturm chain, 95
- Sturm-Liouville problem, 177
- system matrix, 190
- test space, 137
- theorem

- Banach, 100
Cauchy, 15
Gershgorin, 50
Kantorovich, 128
multigrid complexity, 200
multigrid convergence, 199
nested multigrid, 201
norm equivalence, 15
Pythagoras, 20
two-grid convergence, 196
Thomas (1903–1992), 72
total pivoting, 57, 61
trace, 23, 53
underrelaxation, 111
V-cycle, 193
Vandermonde (1735–1796), 5
Vandermondian determinant, 5
vector, 1
 norm, 13
 space, 1
W-cycle, 193
Wielandt (1910–2001), 155
Wilkinson (1919–1986), 62
Young (1863–1942), 17